

SAFETY DATA SHEET ARTLUBE-100™

Date: 4/23/2015 **Version:** 1.0

Section 1. Chemical Product and Company

Manufactrurer:Product Name:Artlube-100ENVIRONMOLDS, LLCProduct Number:SM250001 W/R18 Bank Street, Suite 1Use:Uretahne Mold Release

Summit NJ 07901 Emergency Number: 1-908-273-5401 (Mon-Sat, 8AM-7PM EST)

Section 2. Potential Health Effects

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols

GHS Classification Aspiration Hazard Category 1

Flammable Liquid Category 2

Signal Word Danger

Hazard Statements Highly flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Precautionary Statements

Prevention Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/.../ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Do NOT induce vomiting.

In case of fire: Use ... to extinguish.

Storage Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

Section 3. Composition, Information on Ingredients

 COMPONENT
 CAS #
 Percent

 Aliphatic hydrocarbon
 64741-66-8
 80 - 100

HMIS® III* HAZARDOUS WARNINGS:

Health: 1 Flammability: 3 Physical: 0

Protective Equipment:

Personal

See Section 8

^{*} See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

Section 4. First Aid Measures

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Seek medical attention if symptoms persist. Wash clothing before reuse.

Ingestion: Do not induce vomiting. Aspiration into the lungs can cause serious damage. If vomiting occurs spontaneously, keep head below

hips to prevent aspiration of liquid into lungs. Contact a physician, medical facility, or poison control center immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical

attention.

NOTES TO PHYSICIAN:

This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity when deciding whether to induce vomiting. Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life support. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin;

Section 5. Fire Fighting Measures

Fire and/or Explosion Hazards: This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier

than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other

flames and ignition sources at locations distant from the material's handling point.

Fire Fighting Instructions: Use water spray, foam, dry chemical, or CO2. Fire fighters should wear normal protective equipment and positive-

pressure self-contained breathing apparatus.

Section 6. Accidental Release Measures

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

Section 7. Handling and Storage

Handling: Do not use near ignition sources.

Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Empty container

may contain residues which are hazardous. Normal precautions common to safe manufacturing practice should be followed in handling

and storage.

Section 8. Exposure Control and Personal Protection

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated in "Section 2" of this MSDS (from known,

suspected or apparent adverse effects).

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Do not wear contact lenses. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

skin.

Respiratory Protection: A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved

respirator where there is likelihood of inhalation of the product mist, spray or aerosol.

 COMPONENT
 CAS#
 ACGIH TLV
 OSHA PEL
 300ppm TWA-Mfr.

 Aliphatic hydrocarbon
 64741-66-8
 Not established
 500ppm TWA
 Recommended

Section 9. Physical and Chemical Properties

Physical State: Bulk liquid Lower Flammability Limit (%): 6.3 Clear Colorless Appearance: Upper Flammability Limit (%): 0.71 Light Hydrocarbon Odor: Vapor Pressure (PSIG @ 70°F): 3.90 Odor Threshold: Mild Vapor Density [air = 1]: 0.74

pH: Not applicable Relative Density (H2O=1): Negligible; 0-1% Melting/Freezing Point (°F): No data available Solubility in Water: No data available

Boiling Point (°F): 208 Partial Coefficient: n-

octanol/water: 828

Flash Point (°F PMCC): 17.6 Autoignition Temperature (°F): No data available Evaporation Rate: 2-10 (n-Butyl acetate = 1) Decomposition Temperature (°F): No data available

Flammability (solid, gas): No data available Viscosity, dynamic (cSt): Percent VOCs (%): 80 - 100

Section 10. Stability and Reaction

Chemical Stability: Stable.

Conditions to Avoid: Avoid contact with: Strong oxidizing agents. Ignition sources such as open flames, sparks, static discharges or glowing

metal surfaces.

Decomposition Products: Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Various hydrocarbons.

Section 11. Toxicological Information

Reproductive & Developmental No data available.

Toxicity:

Ingredient CAS# Toxicological Data

Aliphatic hydrocarbon 64741-66-8 Dermal LD50 Rabbit > 3160 ml/kg
Dermal LD50 Rabbit > 10000 ml/kg

Section 12. Ecological Information

Ecological Toxicity: May cause long-term adverse effects in the aquatic environment.

Mobility: No data available

Ingredient CAS # Toxicological Data

No data available

Section 13. Disposal Considerations

Disposal: Dispose according to Federal, State and local regulations.

Section 14. Ecological Information

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1268	Petroleum distillates, n.o.s.	3	II
IATA	UN1268	Petroleum distillates, n.o.s.	3	II
IMDG	UN1268	Petroleum distillates, n.o.s.	3	II

Section 15. Regulatory Information

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT CAS # % BY WEIGHT Regulatory Body
No components listed in this section. SARA Section 313

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below.

No components listed in this section. Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below.

No components listed in this section. Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

Section 16. Other Information

Other Information:

Version Date: 4/23/2105

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.